

Forestland Interpretations

Forestland interpretations are important to good management. The management of trees begins with an understanding of the soil where they grow or are to be grown. Some soils are very suitable for growing wood crops; others barely support tree cover. Different tree species may vary in production on the same soil.

Forestland interpretations should be used to assist land users in planning, installing, and maintaining forestland management systems.

Forest Management and Productivity

The Forestland Management and Productivity tables presents information about suitable for producing timber for each soil map unit. Management concerns, which include hazard of erosion, equipment use, seedling mortality, and windthrow hazard, are listed by ratings of SLIGHT, MODERATE, or SEVERE. Information on potential productivity includes plant competition, common trees, site index, productivity class, and trees to plant.

Management Concerns

EROSION HAZARD - the risk of erosion is slight if the expected soil loss is small; moderate if some measures are needed to control erosion during logging; and severe if intensive management or special equipment and methods are needed to prevent excessive loss of soil.

EQUIPMENT LIMITATION - A rating of slight indicates that use of equipment is not limited to a particular kind of equipment or time of year; moderate indicates a short seasonal limitation, or a need for some modification in management of equipment; and severe indicates a seasonal limitation, a need for special equipment or management, or a hazard in the use of equipment.

SEEDLING MORTALITY - The ratings are for seedlings from a good planting stock that are properly planted during a period of sufficient rainfall. A rating of slight indicates that the expected mortality of the planted seedlings is less than 25 percent; moderate - 25 to 50 percent; and severe - more than 50 percent.

WINDTHROW HAZARD - A rating of slight indicates that trees in wooded areas are not expected to be blown down by commonly occurring winds; moderate - that some trees are blown down during periods of excessive soil wetness and strong winds; and severe that many trees are blown down during periods of excessive soil wetness and moderate or strong winds.

PLANT COMPETITION - A rating of slight indicates little or no competition from other plants; moderate indicates that plant competition is expected to hinder the development of the fully stocked stand of desirable trees; and severe means that plant

competition is expected to prevent the establishment of a desirable stand unless the site is intensively prepared, weeded, or otherwise managed for the control of undesirable plants.

POTENTIAL PRODUCTIVITY - This is discussed under the ordination class symbol.

COMMON TREES - Trees that generally occur on the soil are listed regardless of economic importance.

SITE INDEX AND PRODUCTIVITY CLASS - These are discussed under ordination class symbol.

TREES TO PLANT - Trees that are suitable for commercial wood production and that are adapted to the soil.

See the National Forestry Manual, Subpart B for criteria used in rating management concerns.

This subsection includes:

- **(a) Forest Management (one or two tables)**

Table 8b.--Forestland Management

(The information in this report indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 1.00. The larger the value, the greater the potential limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	<u>Limitation</u>	<u>Value</u>	<u>Limitation</u>	<u>Value</u>	<u>Limitation</u>	<u>Value</u>	<u>Limitation</u>	<u>Value</u>	<u>Limitation</u>	<u>Value</u>
70030:										
Noark-----	Moderately limited		Slightly limited		Not limited		Moderately limited		Not limited	
	~slope/erodibility	0.38	~slope/erodibility	0.12			~slippage potential	0.50		
	(moderately limited)		(slightly limited)				(moderately limited)			
Clarksville----	Slightly limited		Slightly limited		Not limited		Moderately limited		Slightly limited	
	~slope/erodibility	0.23	~slope/erodibility	0.12			~slippage potential	0.50	~droughty	0.00
	(slightly limited)		(slightly limited)				(moderately limited)		(slightly limited)	
70031:										
Hailey-----	Limited		Moderately limited		Not limited		Very limited		Very limited	
	~slope/erodibility	0.96	~slope/erodibility	0.49			~slope	1.00	~droughty	1.00
	(limited)		(moderately limited)				(very limited)		(very limited)	
							~slippage potential	0.90		
							(limited)			
							~very sandy (surface)	0.50		
							(moderately limited)			
Rueter-----	Very limited		Moderately limited		Not limited		Very limited		Slightly limited	
	~slope/erodibility	1.00	~slope/erodibility	0.49			~slope	1.00	~droughty	0.15
	(very limited)		(moderately limited)				(very limited)		(slightly limited)	
							~slippage potential	0.50		
							(moderately limited)			
70032:										
Tonti-----	Slightly limited		Slightly limited		Slightly limited		Slightly limited		Not limited	
	~slope/erodibility	0.22	~slope/erodibility	0.04	~seasonal wetness	0.20	~seasonal wetness	0.20		
	(slightly limited)		(slightly limited)		(slightly limited)		(slightly limited)			
70033:										
Moko-----	Limited		Slightly limited		Not limited		Limited		Very limited	
	~slope/erodibility	0.69	~slope/erodibility	0.22			~slope	0.68	~droughty	1.00
	(limited)		(slightly limited)				(limited)		(very limited)	
							~slippage potential	0.50	~soil reaction	0.60
							(moderately limited)		(limited)	
							~stickiness (surface)	0.50		
							(moderately limited)			
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)	Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Value
70034:									
Moko-----	Very limited		Limited		Not limited		Very limited		Limited
	~slope/erodibility	1.00	~slope/erodibility	0.63			~slope	1.00	~droughty
	(very limited)		(limited)				(very limited)		(limited)
							~slippage potential	0.50	~soil reaction
							(moderately limited)		(limited)
Blueye-----	Very limited		Moderately limited		Not limited		Very limited		Not limited
	~slope/erodibility	1.00	~slope/erodibility	0.43			~slope	1.00	
	(very limited)		(moderately limited)				(very limited)		
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated
70035:									
Sonsac-----	Very limited		Moderately limited		Limited		Very limited		Not limited
	~slope/erodibility	1.00	~slope/erodibility	0.35	~low strength	0.80	~slope	1.00	
	(very limited)		(moderately limited)		(limited)		(very limited)		
							~slippage potential	0.50	
							(moderately limited)		
							~low strength	0.50	
							(moderately limited)		
Gobbler-----	Limited		Moderately limited		Not limited		Very limited		Not limited
	~slope/erodibility	0.69	~slope/erodibility	0.35			~slope	1.00	
	(limited)		(moderately limited)				(very limited)		
70036:									
Sonsac-----	Very limited		Moderately limited		Not limited		Very limited		Not limited
	~slope/erodibility	1.00	~slope/erodibility	0.59			~slope	1.00	
	(very limited)		(moderately limited)				(very limited)		
							~slippage potential	0.50	
							(moderately limited)		
Gobbler-----	Very limited		Moderately limited		Not limited		Very limited		Slightly limited
	~slope/erodibility	1.00	~slope/erodibility	0.49			~slope	1.00	~droughty
	(very limited)		(moderately limited)				(very limited)		(slightly limited)
70037:									
Sonsac-----	Very limited		Limited		Not limited		Very limited		Moderately limited
	~slope/erodibility	1.00	~slope/erodibility	0.98			~slope	1.00	~droughty
	(very limited)		(limited)				(very limited)		(moderately limited)
Rueter-----	Very limited		Limited		Not limited		Very limited		Limited
	~slope/erodibility	1.00	~slope/erodibility	0.98			~slope	1.00	~droughty
	(very limited)		(limited)				(very limited)		(limited)

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
70038:										
Moko-----	Slightly limited		Slightly limited		Not limited		Moderately limited		Limited	
	~slope/erodibility	0.23	~slope/erodibility	0.12			~slippage potential	0.50	~droughty	0.88
	(slightly limited)		(slightly limited)				(moderately limited)		(limited)	
							~stickiness (surface)	0.50		
							(moderately limited)			
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
70050:										
Rueter-----	Moderately limited		Slightly limited		Not limited		Limited		Slightly limited	
	~slope/erodibility	0.46	~slope/erodibility	0.24			~slope	0.76	~droughty	0.03
	(moderately limited)		(slightly limited)				(limited)		(slightly limited)	
							~slippage potential	0.50		
							(moderately limited)			
Goss-----	Limited		Slightly limited		Limited		Limited		Not limited	
	~slope/erodibility	0.75	~slope/erodibility	0.24	~low strength	0.80	~slope	0.76		
	(limited)		(slightly limited)		(limited)		(limited)			
							~low strength	0.50		
							(moderately limited)			
70051:										
Hailey-----	Limited		Moderately limited		Not limited		Very limited		Very limited	
	~slope/erodibility	0.96	~slope/erodibility	0.49			~slope	1.00	~droughty	1.00
	(limited)		(moderately limited)				(very limited)		(very limited)	
							~slippage potential	0.90		
							(limited)			
Rueter-----	Very limited		Moderately limited		Not limited		Very limited		Slightly limited	
	~slope/erodibility	1.00	~slope/erodibility	0.49			~slope	1.00	~droughty	0.15
	(very limited)		(moderately limited)				(very limited)		(slightly limited)	
							~slippage potential	0.50		
							(moderately limited)			
							~very sandy (surface)	0.50		
							(moderately limited)			
71252:										
Britwater-----	Limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.67	~slope/erodibility	0.12	~low strength	0.80	~slippage potential	0.50		
	(limited)		(slightly limited)		(limited)		(moderately limited)			
							~low strength	0.50		
							(moderately limited)			

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73070:										
Sowcoon-----	Slightly limited		Slightly limited		Limited		Limited		Not limited	
	~slope/erodibility	0.22	~slope/erodibility	0.05	~low strength	0.80	~seasonally ponded	0.80		
	(slightly limited)		(slightly limited)		(limited)		(limited)			
					~seasonal wetness	0.29	~low strength	0.50		
					(slightly limited)		(moderately limited)			
							~seasonal wetness	0.29		
							(slightly limited)			
73113:										
Scholten-----	Moderately limited		Slightly limited		Slightly limited		Moderately limited		Not limited	
	~slope/erodibility	0.38	~slope/erodibility	0.12	~seasonal wetness	0.20	~slippage potential	0.50		
	(moderately limited)		(slightly limited)		(slightly limited)		(moderately limited)			
							~seasonal wetness	0.20		
							(slightly limited)			
73114:										
Captina-----	Slightly limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.22	~slope/erodibility	0.05	~low strength	0.80	~low strength	0.50		
	(slightly limited)		(slightly limited)		(limited)		(moderately limited)			
					~seasonal wetness	0.25	~seasonal wetness	0.25		
					(slightly limited)		(slightly limited)			
73115:										
Horneybuck-----	Moderately limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.56	~slope/erodibility	0.10	~low strength	0.80	~low strength	0.50		
	(moderately limited)		(slightly limited)		(limited)		(moderately limited)			
					~seasonal wetness	0.26	~seasonal wetness	0.26		
					(slightly limited)		(slightly limited)			
Tonti-----	Moderately limited		Slightly limited		Slightly limited		Slightly limited		Not limited	
	~slope/erodibility	0.56	~slope/erodibility	0.10	~seasonal wetness	0.22	~seasonal wetness	0.22		
	(moderately limited)		(slightly limited)		(slightly limited)		(slightly limited)			
73116:										
Pomme-----	Moderately limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.44	~slope/erodibility	0.08	~low strength	0.80	~slippage potential	0.50		
	(moderately limited)		(slightly limited)		(limited)		(moderately limited)			
							~low strength	0.50		
							(moderately limited)			

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73117:										
Clarksville----	Moderately limited		Slightly limited		Not limited		Moderately limited		Slightly limited	
	~slope/erodibility	0.31	~slope/erodibility	0.16			~slope	0.30	~droughty	0.18
	(moderately limited)		(slightly limited)				(moderately limited)		(slightly limited)	
							~surface stones	0.30		
							(slightly limited)			
Scholten-----	Moderately limited		Slightly limited		Slightly limited		Moderately limited		Not limited	
	~slope/erodibility	0.50	~slope/erodibility	0.16	~seasonal wetness	0.20	~slope	0.30		
	(moderately limited)		(slightly limited)		(slightly limited)		(moderately limited)			
							~surface stones	0.30		
							(slightly limited)			
							~seasonal wetness	0.20		
							(slightly limited)			
Hailey-----	Moderately limited		Slightly limited		Not limited		Moderately limited		Moderately limited	
	~slope/erodibility	0.50	~slope/erodibility	0.16			~slope	0.30	~droughty	0.30
	(moderately limited)		(slightly limited)				(moderately limited)		(moderately limited)	
							~surface stones	0.30		
							(slightly limited)			
73118:										
Rueter-----	Moderately limited		Slightly limited		Not limited		Limited		Slightly limited	
	~slope/erodibility	0.46	~slope/erodibility	0.24			~slope	0.76	~droughty	0.03
	(moderately limited)		(slightly limited)				(limited)		(slightly limited)	
							~slippage potential	0.50		
							(moderately limited)			
Goss-----	Limited		Slightly limited		Limited		Limited		Not limited	
	~slope/erodibility	0.75	~slope/erodibility	0.24	~low strength	0.80	~slope	0.76		
	(limited)		(slightly limited)		(limited)		(limited)			
							~low strength	0.50		
							(moderately limited)			
73119:										
Rueter-----	Very limited		Limited		Not limited		Very limited		Slightly limited	
	~slope/erodibility	1.00	~slope/erodibility	0.94			~slope	1.00	~droughty	0.00
	(very limited)		(limited)				(very limited)		(slightly limited)	
							~slippage potential	0.50		
							(moderately limited)			
Hailey-----	Very limited		Limited		Not limited		Very limited		Very limited	
	~slope/erodibility	1.00	~slope/erodibility	0.94			~slope	1.00	~droughty	1.00
	(very limited)		(limited)				(very limited)		(very limited)	
							~slippage potential	0.90		
							(limited)			

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73120:										
Rueter-----	Very limited		Limited		Not limited		Very limited		Not limited	
	~slope/erodibility	1.00	~slope/erodibility	0.94			~slope	1.00		
	(very limited)		(limited)				(very limited)			
							~slippage potential	0.50		
							(moderately limited)			
Gasconade-----	Very limited		Limited		Not limited		Very limited		Very limited	
	~slope/erodibility	1.00	~slope/erodibility	0.88			~slope	1.00	~droughty	1.00
	(very limited)		(limited)				(very limited)		(very limited)	
							~slippage potential	0.50		
							(moderately limited)			
							~stickiness (surface)	0.50		
							(moderately limited)			
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73121:										
Scholten-----	Moderately limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.56	~slope/erodibility	0.10	~low strength	0.80	~slippage potential	0.50		
	(moderately limited)		(slightly limited)		(limited)		(moderately limited)			
					~seasonal wetness	0.22	~low strength	0.50		
					(slightly limited)		(moderately limited)			
							~seasonal wetness	0.22		
							(slightly limited)			
Tonti-----	Moderately limited		Slightly limited		Slightly limited		Moderately limited		Not limited	
	~slope/erodibility	0.56	~slope/erodibility	0.10	~seasonal wetness	0.23	~slippage potential	0.50		
	(moderately limited)		(slightly limited)		(slightly limited)		(moderately limited)			
							~seasonal wetness	0.23		
							(slightly limited)			
73122:										
Gasconade-----	Very limited		Very limited		Not limited		Very limited		Very limited	
	~slope/erodibility	1.00	~slope/erodibility	1.00			~slope	1.00	~droughty	1.00
	(very limited)		(very limited)				(very limited)		(very limited)	
							~stickiness (surface)	0.50	~soil reaction	0.00
							(moderately limited)		(slightly limited)	
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73123:										
Mano-----	Very limited		Slightly limited		Not limited		Moderately limited		Not limited	
	~slope/erodibility	1.00	~slope/erodibility	0.18			~slippage potential	0.50		
	(very limited)		(slightly limited)				(moderately limited)			
							~slope	0.45		
							(moderately limited)			

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73123:										
Ocie-----	Moderately limited		Slightly limited		Not limited		Moderately limited		Not limited	
	~slope/erodibility	0.56	~slope/erodibility	0.18			~slippage potential	0.50		
	(moderately limited)		(slightly limited)				(moderately limited)			
							~slope	0.45		
							(moderately limited)			
73124:										
Alred-----	Very limited		Moderately limited		Not limited		Very limited		Slightly limited	
	~slope/erodibility	1.00	~slope/erodibility	0.53			~slope	1.00	~droughty	0.03
	(very limited)		(moderately limited)				(very limited)		(slightly limited)	
Ocie-----	Very limited		Moderately limited		Limited		Very limited		Not limited	
	~slope/erodibility	1.00	~slope/erodibility	0.49	~low strength	0.80	~slope	1.00		
	(very limited)		(moderately limited)		(limited)		(very limited)			
							~slippage potential	0.50		
							(moderately limited)			
							~low strength	0.50		
							(moderately limited)			
73125:										
Knobby-----	Moderately limited		Slightly limited		Not limited		Moderately limited		Very limited	
	~slope/erodibility	0.35	~slope/erodibility	0.18			~slippage potential	0.50	~droughty	1.00
	(moderately limited)		(slightly limited)				(moderately limited)		(very limited)	
							~slope	0.45	~soil reaction	0.66
							(moderately limited)		(limited)	
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73126:										
Knobby-----	Very limited		Limited		Not limited		Very limited		Very limited	
	~slope/erodibility	1.00	~slope/erodibility	0.65			~slope	1.00	~droughty	1.00
	(very limited)		(limited)				(very limited)		(very limited)	
							~slippage potential	0.50	~soil reaction	0.66
							(moderately limited)		(limited)	
Rock outcrop---	Not rated		Not rated		Not rated		Not rated		Not rated	
73127:										
Gobbler-----	Limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.67	~slope/erodibility	0.12	~low strength	0.80	~slippage potential	0.50		
	(limited)		(slightly limited)		(limited)		(moderately limited)			
							~low strength	0.50		
							(moderately limited)			

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73127:										
Sonsac-----	Limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.78	~slope/erodibility	0.14	~low strength	0.80	~slippage potential	0.50		
	(limited)		(slightly limited)		(limited)		(moderately limited)			
							~low strength	0.50		
							(moderately limited)			
							~slope	0.15		
							(slightly limited)			
73128:										
Gobbler-----	Moderately limited		Slightly limited		Not limited		Limited		Not limited	
	~slope/erodibility	0.46	~slope/erodibility	0.24			~slope	0.76		
	(moderately limited)		(slightly limited)				(limited)			
							~slippage potential	0.50		
							(moderately limited)			
Sonsac-----	Limited		Slightly limited		Limited		Limited		Not limited	
	~slope/erodibility	0.75	~slope/erodibility	0.24	~low strength	0.80	~slope	0.76		
	(limited)		(slightly limited)		(limited)		(limited)			
							~slippage potential	0.50		
							(moderately limited)			
							~low strength	0.50		
							(moderately limited)			
73129:										
Gasconade-----	Slightly limited		Slightly limited		Not limited		Moderately limited		Limited	
	~slope/erodibility	0.23	~slope/erodibility	0.12			~slippage potential	0.50	~droughty	0.86
	(slightly limited)		(slightly limited)				(moderately limited)		(limited)	
							~stickiness (surface)	0.50		
							(moderately limited)			
73130:										
Gasconade-----	Limited		Slightly limited		Not limited		Limited		Very limited	
	~slope/erodibility	0.69	~slope/erodibility	0.22			~slope	0.68	~droughty	1.00
	(limited)		(slightly limited)				(limited)		(very limited)	
							~slippage potential	0.50		
							(moderately limited)			
73131:										
Gasconade-----	Very limited		Moderately limited		Not limited		Very limited		Very limited	
	~slope/erodibility	1.00	~slope/erodibility	0.33			~slope	1.00	~droughty	1.00
	(very limited)		(moderately limited)				(very limited)		(very limited)	
							~stickiness (surface)	0.50		
							(moderately limited)			

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)		Potential erosion hazard (off-road/off-trail)		Soil rutting hazard		Log landing suitability		Potential seedling mortality	
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value
73132:										
Gasconade-----	Very limited		Moderately limited		Not limited		Very limited		Very limited	
	~slope/erodibility	1.00	~slope/erodibility	0.55			~slope	1.00	~droughty	1.00
	(very limited)		(moderately limited)				(very limited)		(very limited)	
							~slippage potential	0.50		
							(moderately limited)			
							~stickiness (surface)	0.50		
							(moderately limited)			
73133:										
Alred-----	Slightly limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.23	~slope/erodibility	0.12	~low strength	0.80	~low strength	0.50		
	(slightly limited)		(slightly limited)		(limited)		(moderately limited)			
Ocie-----	Limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.67	~slope/erodibility	0.12	~low strength	0.80	~slippage potential	0.50		
	(limited)		(slightly limited)		(limited)		(moderately limited)			
							~low strength	0.50		
							(moderately limited)			
73134:										
Alred-----	Limited		Slightly limited		Not limited		Limited		Not limited	
	~slope/erodibility	0.75	~slope/erodibility	0.24			~slope	0.76		
	(limited)		(slightly limited)				(limited)			
Ocie-----	Limited		Slightly limited		Limited		Limited		Not limited	
	~slope/erodibility	0.75	~slope/erodibility	0.24	~low strength	0.80	~slope	0.76		
	(limited)		(slightly limited)		(limited)		(limited)			
							~slippage potential	0.50		
							(moderately limited)			
							~low strength	0.50		
							(moderately limited)			
Sonsac-----	Limited		Slightly limited		Limited		Limited		Not limited	
	~slope/erodibility	0.75	~slope/erodibility	0.24	~low strength	0.80	~slope	0.76		
	(limited)		(slightly limited)		(limited)		(limited)			
							~low strength	0.50		
							(moderately limited)			
74638:										
Waben-----	Slightly limited		Slightly limited		Not limited		Limited		Not limited	
	~slope/erodibility	0.23	~slope/erodibility	0.12			~slippage potential	0.90		
	(slightly limited)		(slightly limited)				(limited)			

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)	Potential erosion hazard (off-road/off-trail)	Soil rutting hazard	Log landing suitability	Potential seedling mortality					
	Limitation	Value	Limitation	Value	Limitation	Value	Limitation	Value		
74639:										
Waben-----	Limited		Slightly limited		Not limited		Limited		Slightly limited	
	~slope/erodibility	0.75	~slope/erodibility	0.24			~slippage potential	0.90	~droughty	0.12
	(limited)		(slightly limited)				(limited)		(slightly limited)	
							~slope	0.76		
							(limited)			
							~very sandy (surface)	0.50		
							(moderately limited)			
74640:										
Hootentown----	Slightly limited		Slightly limited		Limited		Moderately limited		Not limited	
	~slope/erodibility	0.22	~slope/erodibility	0.05	~low strength	0.80	~low strength	0.50		
	(slightly limited)		(slightly limited)		(limited)		(moderately limited)			
75401:										
Horsecreek-----	Slightly limited		Slightly limited		Limited		Moderately limited		Moderately limited	
	~slope/erodibility	0.11	~slope/erodibility	0.02	~low strength	0.80	~flooding	0.60	~flooding	0.60
	(slightly limited)		(slightly limited)		(limited)		(moderately limited)		(moderately limited)	
							~low strength	0.50		
							(moderately limited)			
Jamesfin-----	Slightly limited		Slightly limited		Limited		Moderately limited		Moderately limited	
	~slope/erodibility	0.11	~slope/erodibility	0.02	~low strength	0.80	~flooding	0.60	~flooding	0.60
	(slightly limited)		(slightly limited)		(limited)		(moderately limited)		(moderately limited)	
							~low strength	0.50		
							(moderately limited)			
75402:										
Pinerun-----	Slightly limited		Slightly limited		Limited		Moderately limited		Moderately limited	
	~slope/erodibility	0.22	~slope/erodibility	0.04	~low strength	0.80	~flooding	0.60	~flooding	0.60
	(slightly limited)		(slightly limited)		(limited)		(moderately limited)		(moderately limited)	
							~low strength	0.50		
							(moderately limited)			
75403:										
Cedargap-----	Slightly limited		Slightly limited		Not limited		Moderately limited		Limited	
	~slope/erodibility	0.12	~slope/erodibility	0.04			~flooding	0.60	~droughty	0.88
	(slightly limited)		(slightly limited)				(moderately limited)		(limited)	
									~flooding	0.60
									(moderately limited)	
Woolly-----	Slightly limited		Slightly limited		Not limited		Moderately limited		Moderately limited	
	~slope/erodibility	0.12	~slope/erodibility	0.06			~flooding	0.60	~flooding	0.60
	(slightly limited)		(slightly limited)				(moderately limited)		(moderately limited)	
							~stickiness (surface)	0.50	~droughty	0.31
							(moderately limited)		(moderately limited)	

Table 8b.--Forestland Management--Continued

Map symbol and soil name	Potential erosion hazard (road/trail)	Potential erosion hazard (off-road/off-trail)	Soil rutting hazard	Log landing suitability	Potential seedling mortality
	<u>Limitation</u>	<u>Value</u>	<u>Limitation</u>	<u>Value</u>	<u>Limitation</u>
75404:					
Pinerun-----	Slightly limited		Slightly limited		Not limited
	~slope/erodibility	0.12	~slope/erodibility	0.04	
	(slightly limited)		(slightly limited)		
75405:					
Pinerun-----	Slightly limited		Slightly limited		Not limited
	~slope/erodibility	0.12	~slope/erodibility	0.04	
	(slightly limited)		(slightly limited)		
Waben-----	Slightly limited		Slightly limited		Not limited
	~slope/erodibility	0.25	~slope/erodibility	0.08	
	(slightly limited)		(slightly limited)		
99000:					
Pits, quarries-	Not rated		Not rated		Not rated
99001:					
Water-----	Not rated		Not rated		Not rated
99005:					
Landfills-----	Not rated		Not rated		Not rated